

## **GATE XL Previous Year Solved Question Papers**

# G.A.T.E. (XL) 2011

# Life Sciences

# Examination

(Original Question Paper with Answer Key) GRADUATE APTITUDE TEST IN ENGINEERING



For more question papers, please visit: <u>www.easybiologyclass.com</u>

#### **XL : LIFE SCIENCES**

Duration: Three Hours

2011

#### Read the following instructions carefully.

- 1. Write your name and registration number in the space provided at the bottom of this page.
- 2. Take out the Optical Response Sheet (ORS) from this Question Booklet without breaking the seal.
- 3. Do not open the seal of the Question Booklet until you are asked to do so by the invigilator.
- 4. Write your registration number, your name and name of the examination centre at the specified locations on the right half of the **ORS**. Also, using HB pencil, darken the appropriate bubble under each digit of your registration number and the letters corresponding to your test paper code (XL).
- 5. This Question Booklet contains 28 pages including blank pages for rough work. After opening the seal at the specified time, please check all pages and report discrepancy, if any.
- 6. You can answer a maximum of 65 questions carrying 100 marks. Questions must be answered on the left hand side of the ORS by darkening the appropriate bubble (marked A, B, C, D) using HB pencil against the question number. For each question darken the bubble of the correct answer. In case you wish to change an answer, erase the old answer completely. More than one answer bubbled against a question will be treated as an incorrect response

Section	Page No.	Section	Page No.
GA: General Aptitude	02	K. Microbiology	15
H. Chemistry	04	L. Zoology	18
I. Biochemistry	07	M. Food Technology	21
J. Botany	11		

- 7. This Question Booklet contains Seven sections as listed below.
- 8. <u>Section GA (General Aptitude) and Section H (Chemistry) are compulsory.</u> Choose two more sections from the remaining sections with codes I through M. Using HB pencil, mark the codes of the sections you have chosen by darkening the appropriate bubbles on the left hand side of the ORS provided. Make sure you have correctly bubbled the codes of the sections you have chosen. ORS will not be evaluated if this information is NOT marked.
- 9. There are 10 questions carrying 15 marks in General Aptitude (GA) section, which is compulsory. Questions Q.1–Q.5 carry 1-mark each, and questions Q.6–Q.10 carry 2-marks each.
- 10. There are 15 questions carrying 25 marks in Section H (Chemistry), which is compulsory. Questions Q.1–Q.5 carry 1-mark each and questions Q.6–Q.15 carry 2-marks each. Questions Q.12 and Q.13 (1 pair) are common data questions. Questions Q.14 and Q.15 (1 pair) are linked answer questions. The answer to the second question of the pair of linked answer questions depends on the answer to the first question of the pair. If the first question in the linked pair is wrongly answered or is unattempted, then the answer to the second question in the pair will not be evaluated.
- 11. Each of the other sections (Sections I through M) contains 20 questions carrying 30 marks. Questions Q.1–Q.10 carry 1-mark each and questions Q.11–Q.20 carry 2-marks each.
- 12. Unattempted questions will result in zero marks. Wrong answers will result in NEGATIVE marks. In GA, for Q.1–Q.5, <sup>1</sup>/<sub>3</sub> mark will be deducted for each wrong answer and for Q.6–Q.10, <sup>2</sup>/<sub>3</sub> mark will be deducted for each wrong answer. In Section H, for Q.1–Q.5, <sup>1</sup>/<sub>3</sub> mark will be deducted for each wrong answer and for Q.6–Q.13, <sup>2</sup>/<sub>3</sub> mark will be deducted for each wrong answer. The question pair (Q.14, Q.15) is questions with linked answers. There will be negative marks only for wrong answer to the first question of the linked answer question pair i.e., for Q.14, <sup>2</sup>/<sub>3</sub> mark will be deducted for wrong answer. There is no negative marking for Q.15. In all other section papers (Sections I through M), for Q.1–Q.10, <sup>1</sup>/<sub>3</sub> mark will be deducted for each wrong answer and for Q.11–Q.20, <sup>2</sup>/<sub>3</sub> mark will be deducted for each wrong answer.
- 13. Calculator is allowed whereas charts, graph sheets or tables are **NOT** allowed in the examination hall.

Name				
<b>Registration Number</b>	XL			

XL

1/28

#### GA : General Aptitude (Compulsory)

#### Q. 1 - Q. 5 carry one mark each.

- Q.1 The question below consists of a pair of related words followed by four pairs of words. Select the pair that best expresses the relation in the original pair: Gladiator: Arena
  - (A) dancer : stage(B) commuter : train(C) teacher : classroom(D) lawyer : courtroom
- Q.2 Choose the most appropriate word from the options given below to complete the following sentence:

- (A) similar(B) most(C) uncommon(D) available
- Q.3 Choose the word from the options given below that is most nearly opposite in meaning to the given word:

#### Frequency

- (A) periodicity
- (B) rarity
- (C) gradualness
- (D) persistency
- Q.4 Choose the most appropriate word from the options given below to complete the following sentence:

It was her view that the country's problems had been ——— by foreign technocrats, so that to invite them to come back would be counter-productive.

- (A) identified(B) ascertained
- (C) exacerbated
- (D) analysed
- Q.5 There are two candidates P and Q in an election. During the campaign, 40% of the voters promised to vote for P, and rest for Q. However, on the day of election 15% of the voters went back on their promise to vote for P and instead voted for Q. 25% of the voters went back on their promise to vote for P. Suppose, P lost by 2 votes, then what was the total number of voters?
  - (A) 100 (B) 110 (C) 90 (D) 95

#### Q. 6 to Q. 10 carry two marks each.

Q.6 The horse has played a little known but very important role in the field of medicine. Horses were injected with toxins of diseases until their blood built up immunities. Then a serum was made from their blood. Serums to fight with diphtheria and tetanus were developed this way.

It can be inferred from the passage, that horses were

(A) given immunity to diseases

(B) generally quite immune to diseases

(C) given medicines to fight toxins

(D) given diphtheria and tetanus serums

XL

XL

Q.7 The sum of n terms of the series 4+44+444+.... is

(A)  $(4/81) [10^{n+1} - 9n - 1]$ (B)  $(4/81) [10^{n-1} - 9n - 1]$ (C)  $(4/81) [10^{n+1} - 9n - 10]$ (D)  $(4/81) [10^n - 9n - 10]$ 


2011

Q.8 Given that f(y) = |y| / y, and q is any non-zero real number, the value of |f(q) - f(-q)| is

(A) 0 (B) -1 (C) 1 (D) 2

Q.9 Three friends, R, S and T shared toffee from a bowl. R took 1/3<sup>rd</sup> of the toffees, but returned four to the bowl. S took 1/4<sup>th</sup> of what was left but returned three toffees to the bowl. T took half of the remainder but returned two back into the bowl. If the bowl had 17 toffees left, how many toffees were originally there in the bowl?

Q.10 The fuel consumed by a motorcycle during a journey while traveling at various speeds is indicated in the graph below.



The distances covered during four laps of the journey are listed in the table below

Lap	Distance (kilometres)	Average speed (kilometres per hour)
P	15	15
Q	75	45
R	40	75
S	10	10

From the given data, we can conclude that the fuel consumed per kilometre was least during the lap


#### **END OF SECTION – GA**

Please visit: www.easybiologyclass.com for:

- Lecture Notes
- Biology PPTs
- Biology MCQs
- > Online Mock Tests (MCQ)
- Practical Aids
- Model Question Papers of NET, GATE, DBT, ICMR Exams
- CSIR NET Life Sciences Previous Year Question Papers
- GATE Previous Year Question Papers
- DBT BET JRF Previous Year Question Papers
- ICMR JRF Entrance Exam Resources
- Higher Scondary Biology Resources
- Jobs Notifications
- Higher Studies in Biology / Life Sciences
- Seminar / Workshop/ Conference Notifications
- > And many more....







XL

4/28

XL

#### Q. 6 - Q. 15 carry two marks each.

- Q.6 The correct order of acidity is
  - (A)  $C_6H_5COOH < CH_3COOH < C_6H_5OH < C_2H_5OH$ (B)  $CH_3COOH < C_6H_5COOH < C_2H_5OH < C_6H_5OH$ (C)  $C_2H_5OH < C_6H_5OH < C_6H_5COOH < CH_3COOH$ (D)  $C_2H_5OH < C_6H_5OH < CH_3COOH < C_6H_5COOH$
- Q.7 Consider the following equilibrium

$$SO_2(g) + \frac{1}{2}O_2(g) \implies SO_3(g), \Delta H = -23.5 \text{ kCal mol}^{-1}$$

The formation of SO<sub>3</sub> is favoured by

- (A) compression and decreasing the temperature
- (B) compression and increasing the temperature
- (C) expansion and increasing the temperature
- (D) expansion and decreasing the temperature
- Q.8 A molecular electronic excited state has a life time of  $10^{-9}$  s, the uncertainty in measuring the frequency (Hz) of the electronic transition is approximately

(A) 
$$\frac{h}{4\pi} \times 10^9$$
 (B)  $\frac{h}{4\pi} \times 10^{-9}$  (C)  $\frac{1}{4\pi} \times 10^{-9}$  (D)  $\frac{1}{4\pi} \times 10^9$ 

- Q.9 According to the molecular orbital theory, bond order for  $H_2^+$  species is
  - (A) 0.5 (B) 1.0 (C) 1.5 (D) 2.0
- Q.10 According to crystal field theory, the electronic configuration of  $[Ti(H_2O)_6]^{3+}$  in the ground state is (A)  $e^1t_2^0$  (B)  $t_{2g}^0e_g^1$  (C)  $e^0t_2^1$  (D)  $t_{2g}^1e_g^0$

Q.11 The ions with lowest and highest radii among  $O^{2^-}$ , F<sup>-</sup>, Na<sup>+</sup> and Mg<sup>2+</sup> are respectively,

(A) $Mg^{2+}$ and $O^{2-}$	(B) $O^2^-$ and $F^-$
(C) $O^{2^{-1}}$ and $Mg^{2^{+1}}$	(D) Na <sup>+</sup> and $Mg^{2+}$

#### **Common Data Questions**

#### **Common Data for Questions 12 and 13:**

The solubility products of FeS, ZnS, CuS and HgS are  $1.0 \times 10^{-19}$ ,  $4.5 \times 10^{-24}$ ,  $4.0 \times 10^{-38}$  and  $3.0 \times 10^{-53}$  respectively.


- Q.12  $H_2S$  is passed through an aqueous solution containing all the four metal ions. The metal ion that precipitates first is
  - (A)  $Fe^{2+}$  (B)  $Zn^{2+}$  (C)  $Cu^{2+}$  (D)  $Hg^{2+}$
- Q.13 The concentration of  $S^{2-}$ , at which FeS begins to precipitate from the mixture having 0.1 M Fe<sup>2+</sup> is

(A)  $1.0 \times 10^{-17}$  M (B)  $1.0 \times 10^{-18}$  M (C)  $1.0 \times 10^{-19}$  M (D)  $1.0 \times 10^{-20}$  M

#### **Linked Answer Questions**

#### Statement for Linked Answer Questions 14 and 15:

Consider the reaction



Q.14 The above reaction is an example of

(A) addition reaction(C) unimolecular substitution reaction (SN<sub>1</sub>)

(B) bimolecular elimination reaction (E<sub>2</sub>)(D) bimolecular substitution reaction (SN<sub>2</sub>)

#### Q.15 If the concentration of KOH in the reaction mixture is doubled, the rate of the reaction will be

(A) decreased to one-half(C) increased by two-times

(B) the same
(D) increased by four-times

#### **END OF SECTION - H**

		I: BIO	CHEMIST	<b>FRY</b>	
Q. 1 -	- Q. 10 carry one	mark each.			
Q.1	Which one of the follo	owing <b>DOES NOT</b> i	nhibit proteir	biosynthesis?	
	(A) Puromycin	(B) Chlorampheni	col	(C) Cycloheximic	de (D) Oligomycin
Q.2	The activation of the complement components occurs via three distinct pathways. Which of the following component(s) is specific to the 'Alternate Pathway'?				
	(A) Factor B and D	(B) Mannose bind	ing protein	(C) Clqr2s2	(D) C2
Q.3	Which one of the follo	owing enzymes fixes	CO2 into org	anic form?	
	<ul><li>(A) Ribulose 5-phosp</li><li>(C) Pyruvate dehydrog</li></ul>			ulose 1,5-bisphosp bonic anhydrase	hate carboxylase
Q.4	Cytochrome C is not cytoplasm during	rmally found in the	inner mitoc	hondrial membrane	e. It is released into the
	(A) Apoptosis	(B) Necrosis	(C) Cell d	ifferentiation	(D) Cell proliferation
Q.5	Horseradish peroxida reagents in ELISA, be		-	e the two enzyme	es commonly utilized as
	<ul><li>(A) are colored protei</li><li>(C) have high turnove</li></ul>		• •	very small d to ELISA plates	
Q.6	The polarity of water	molecule is due to			
	<ul> <li>(A) its tetrahedral stru</li> <li>(B) bonding electrons</li> <li>(C) bonding electrons</li> <li>(D) its weak electroly</li> </ul>	being attracted more being attracted more		L	
Q.7	Cyanide poisoning is due to its direct inhibition of				
	<ul><li>(A) Electron transport</li><li>(C) Fatty acid oxidation</li></ul>			ty acid biosynthesis cleic acid biosynthe	
Q.8	In humans, the larges	t energy reserve is			
	(A) liver glycogen (C) blood glucose			scle glycogen pose tissue triacylg	lycerol
Q.9		ionic strength buffe			anion-exchange column oteins would be expected
	<ul> <li>(A) Protein with pI 11</li> <li>(B) Proteins with pIs</li> <li>(C) Proteins with pIs</li> <li>(D) Protein with pI 7</li> </ul>	11 and 7 but not 5 ar 7, 5 and 3	nd 3		
Q.10	Valinomycin, a cycli ions?	c peptide antibiotic.	, facilitates t	he transport of wh	ich one of the following
	(A) K <sup>+</sup>	(B) Ca <sup>2+</sup>	(C) Na	+	$(\mathbf{D}) \mathbf{H}^{+}$
XL					7/28

. -

XL

#### Q. 11 - Q. 20 carry two marks each.

Match P, Q, R and S with the appropriate numbers 1 to 6 on the right Q.11

P) Basophils	1) Perforin
Q) T cells	2) Phagocytosis
R) B cells	3) Albumin
S) Neutrophils	4) Macroglobulin
	5) Fc receptors for IgE
	6) Plasma cells
(A) P -5, Q-1, R-6, S-2	(B) P-1, Q-2, R-3, S-4
(C) P-3, Q-4, R-5, S-1	(D) P-2, Q-6, R-1, S-3

0.12 Two purified DNA samples A and B contain equal number of basepairs. Each of these DNA samples has one site each for EcoRI and BamHI restriction enzymes. Complete digestion with both the enzymes yielded 3 DNA bands and 2 DNA bands respectively for A and B upon electrophoresis of the digestion products. Which one of the following explains the observation?

(A) A is circular DNA and B is linear (B) B is circular DNA and A is linear (C) A is circular DNA and B could be linear or circular (D) B is circular DNA and A could be linear or circular

Q.13 In the following enzyme catalyzed reaction which follows Michaelis-Menten kinetics

$$\mathbf{E} + \mathbf{S} \xrightarrow{\mathbf{k}_1} \mathbf{E} \mathbf{S} \xrightarrow{\mathbf{k}_2} \mathbf{E} + \mathbf{P}$$

K<sub>m</sub> is equal to

(A)  $k_{-1}/(k_1.k_2)$ (B)  $(k_1, k_2)/k_{-1}$ (C)  $k_1/(k_2 + k_{-1})$  (D)  $(k_2 + k_{-1})/k_1$ 

Q.14 Match the items in Group I with those in Group II

Group I	
---------	--

#### **Group II**

P) Progesterone	1) Peptide
Q) Dopamine	2) Fatty acid
R) Vasopressin	3) Carbohydrate
S) Prostaglandin	4) Catecholamine
	5) Eicosanoid
	6) Steroid
(A) P-3, Q-4, R-1, S-2	(B) P-6, Q-4, R-1, S-5
(C) P-3, Q-5, R-4, S-1	(D) P-6, Q-5, R-1, S-4

Q.15 Three samples of antibodies were electrophoresed under denaturing and reducing conditions on a 15 % acrylamide gel, followed by staining with Coomassie blue dye. Samples 1, 2 and 3 showed two, three and four stainable bands respectively. Which one of the following conclusions can be made from these observations?

(A) Sample 1 is IgG, 2 is IgA and 3 is IgM (B) Sample 1 is IgA, 2 is IgM and 3 is IgG (C) Sample 1 is IgG, 2 is IgM and 3 is IgA (D) Sample 1 is IgA, 2 is IgG and 3 is IgM Q.16 Four identical PCR reactions were carried out in tubes named I, II, III and IV. Besides the usual mix of dNTPs, each of the tubes respectively contained  $\gamma^{-32}P$  dATP,  $\beta^{-32}P$  dATP,  $\alpha^{-32}P$  dATP and  $\alpha^{-32}P$  rNTP. Which one of the tubes will have radiolabeled PCR product?

(A) Tube I	(B) Tube II	(C) Tube III	(D) Tube IV

Q.17 Match the following:

	Group	I
--	-------	---

P) Polynucleotide kinase Q) Fluoride R) Ras S) <i>lac</i> operon	<ol> <li>ATPase</li> <li>GTPase</li> <li>GTPase</li> <li>Transketolase</li> <li>Enolase</li> <li>Enolase</li> <li>5' end of DNA</li> <li>3' end of DNA</li> <li>Only positive regulation</li> <li>Positive and negative regulation</li> </ol>
(A) P-5, Q-4, R-2, S-8	(B) P-6, Q-3, R-1, S-7
(C) P-4, Q-2, R-1, S-6	(D) P-1, Q-7, R-5, S-3

Q.18 Collagen,  $\alpha$ -keratin and tropomyosin have common structural features. They are

- P) disulfide bridges to neighboring proteins.
- Q) repeating sequences of amino acids
- R) a high  $\beta$ -sheet content
- S) superhelical coiling

(A) P,Q (B) Q,R (C) Q,S (D) P,R

Q.19 Match the following

#### Group I

- P) Tyrosine hydroxylation
- Q) Tyrosine iodination
- R) Tyrosine phosphorylation
- S) Tyrosine oxidation

#### Group II


**Group II** 

- Thyroxine
   T cell Receptor
   DOPA
   Estradiol receptor
   Epinephrine
  - 6) Melanin
  - 7) Endorphin
  - 8) Serotonin

(A) P-1, Q-6, R-5, S-4	(B) P-5, Q-7, R-4, S-8
(C) P-2, Q-5, R-3, S-4	(D) P-3, Q-1, R-2, S-6



Q.20 Scatchard analysis of ligand-receptor interaction yielded the graph shown below. The affinity of the ligand-receptor interaction can be obtained from



(A) Y intercept(C) Slope of the line

(B) X intercept(D) Product of X intercept and Y intercept

#### **END OF SECTION - I**

### Q. 1 - Q. 10 carry one mark each.

2011

Q.1	The stalk with which the ovule remains attached to the placenta is called				
	(A) Micropyle	(B) Chalaza	(C) Funiculus	(D) Hilum	
Q.2	The diploid chromosome number of an organism is $2n = 14$ . What would be the expected chromosome numbers in a nullisomic?				
	(A) 12	(B) 13	(C) 15	(D) 16	
Q.3	The mutagen ethidiur	n bromide acts as a			
	<ul><li>(A) Deaminating age</li><li>(C) Intercalating age</li></ul>		<ul><li>(B) Alkylating agent</li><li>(D) Base analogue</li></ul>		
Q.4	During photorespirati	on the reactive oxygen s	pecies, H <sub>2</sub> O <sub>2</sub> is produce	d in	
	(A) Glyoxysome	(B) Lysosome	(C) Peroxisome	(D) Dictyosome	
Q.5	One of the defense synthesis of	mechanisms adopted b	by plants for detoxifica	ation of heavy metals is the	
	(A) Phytochelatin	(B) Calmodulin	(C) Tubulin	(D) Systemin	
Q.6	In which one of the fe	ollowing phases of cell c	cycle the drug colchicine	e exerts its effect?	
	(A) G1	(B) G2	(C) S	(D) M	
Q.7	The transition of wat	er molecule from liquid	to glassy state during cr	yopreservation is termed as	
	(A) Vitrification	(B) Hyperhydricity	(C) Cryoprotectant	(D) Habituation	
Q.8	The DNA content of	a nucleus can be measur	red by		
	(A) ESR Spectroscopy(B) FTIR Spectroscopy(C) Flow Cytometry(D) X-Ray Crystallography				
Q.9	Retrograde signaling involves communication of				
	<ul> <li>(A) nucleus to the chloroplast</li> <li>(B) endoplasmic reticulum to the nucleus</li> <li>(C) nucleus to the mitochondria</li> <li>(D) chloroplast to the nucleus</li> </ul>				
Q.10	A photoautotrophic	micropropagation syster	n can be established by i	increasing the	
	<ul> <li>(A) sucrose concentration in the culture medium</li> <li>(B) CO<sub>2</sub> concentration in the culture medium</li> <li>(C) agar concentration in the culture medium</li> <li>(D) NH<sup>+</sup> concentration in the culture medium</li> </ul>				

Q. 1	1 - Q. 20 carry tw	o marks eac	ch.	··		•	
Q.11	Which of the following statements in photosynthesis are CORRECT?						
	P. The absorption n	naxima for pho	otosystem	I (PS I) and I	PS II are 680	nm and 700 nm	n. respectivel
	Q. Photosynthetic r molecule of oxy	eaction centre	contains 3	300 chloroph	yll molecules	and the releas	e of one
	R. The non-photoch zeaxanthin			-		d by the preser	ice of
	S. The photochemic	al splitting of	water occ	urs in PS I			
	(A) P, Q	(B) R, S		(C) P, S		(D) Q, R	
Q.12	Which of the foll transformation?	lowing staten	nents are	TRUE on	DNA deli	very methods	during pla
	P. Single stranded nicks are made in T-DNA border repeat by the VirD1, VirD2 and VirD3 protein complex						
	Q. virA gene products form the export apparatus on the membrane for the transfer of T-DNA						
	R. Gold/Tungsten particles are used as microprojectiles in biolistic method						
	S. Acceleration of DNA-coated microprojectiles is carried out with compressed CO <sub>2</sub>						
	(A) P, S	( <b>B</b> ) R, S		(C) P, R		(D) Q, S	
Q.13	Match the following plant secondary compounds with their uses and source plants						
	Compounds		U	ses		Plant spe	cies
	P. Guggulusterol		1. Anti-	-hypertensive	; i. <i>I</i>	ithospermum e	erythrorhizon
	Q. Shikonin		2. Anti-	rheumatic	ii.	Catharanthus	roseus
	R. Ajmalicine		3. Dye		iii.	Glycyrrhiza gl	labra
	S. Glycyrthizin		4. Swee	etner	iv.	Commiphora v	wightii
			5. Anti-	-tumor	<b>v</b> .	Swertia chirat	а
			6. Anti-	plaque	vi.	Coptis japonic	ca
		<b>(D)</b>				(D)	

P-2-iv         P-3-iv         P-4-iv         P-4-iii           Q-3-i         Q-1-i         Q-3-i         Q-2-ii           R-1-ii         R-5-ii         R-1-v         R-5-i           S-4-iii         S-6-iii         S-2-vi         S-6-iv	(A)	(B)	(C)	(D)
	Q-3-i	Q-1-i	Q-3-i	Q-2-ii
	R-1-ii	R-5-ii	R-1-v	R-5-i

•

<u>\_\_\_\_XL</u>

12/28

14 Match the gene of	interest for vari	ous aspects of crop impro	
Gene insert		Aspects of crop imp	
P. bar		1. Tolerance to he	
Q. vip3A		<ol> <li>Nutritional improvement with increased vitamin a</li> <li>Insect resistance</li> </ol>	
<b>R</b> . β-lcy			
S. gsh-II		<ol> <li>Herbicide resistance</li> <li>Delayed ripening</li> </ol>	
(A)	(B)	(C)	(D)
P-4	P-4	P-2	P-4
	Q-3	Q-4	Q-2
Q-3 R-5	R-2	R-5	R-6
S-6	S-1	<b>S-3</b>	S-1

(D) P-3 Q-2

**R**-4 S-5

Q.15 Match the plants with their seed storage proteins

Plant		Protein
P. Rape seed		1. Kafirin
Q. Pea		2. Vicillin
R. Sorghum		3. Gliadin
S. Wheat		4. Napin
		5. Zein
		6. Patatin
(A)	<b>(B)</b>	(C)
P-4	P-2	P-4
Q-3	Q-3	Q-2
R-5	R-6	R-I
	0.1	63

Q.16 Match the name of the disease with the causal organism

S-1

Disease P. False smut of rice Q. Ring rot of potato R. Red rot of sugarcane S. Downy mildew of grape		Causal organism 1. Plasmopara viticola 2. Colletotrichum falcatum 3. Corynebacterium sepidonicum 4. Ustilaginoidea virens 5. Erwinia amylovora 6. Synchytrium endobioticum					
				(A)	(B)	(C)	(D)
				P-1	P-4	P-6	P-5
				Q-5	Q-3	Q-2	Q-3
				R-2	R-2	Ř-4	R-2
				12-2	S-1	S-1	S-4

S-3

S-2

Please visit: www.easybiologyclass.com for:

- Lecture Notes
- Biology PPTs
- Biology MCQs
- > Online Mock Tests (MCQ)
- Practical Aids
- Model Question Papers of NET, GATE, DBT, ICMR Exams
- CSIR NET Life Sciences Previous Year Question Papers
- GATE Previous Year Question Papers
- DBT BET JRF Previous Year Question Papers
- ICMR JRF Entrance Exam Resources
- Higher Scondary Biology Resources
- Jobs Notifications
- Higher Studies in Biology / Life Sciences
- Seminar / Workshop/ Conference Notifications
- > And many more....





		F SECTION - J		
(A) P, Q	(B) P, R	(C) Q, R	(D) Q, S	
S. a-Diversity is	the diversity of species	within a habitat or com	nunity	
parent species	3			
protective 020	one layer in the stratospi	here		
P. Primary succe	ession involving xeroser	e is initiated in a wet ha	bitat	
Which of the following statements are INCORRECT on ecological point of view?				
(A) P, Q	(B) P, R	(C) Q, S	(D) P, S	
S. The bulliform	n cells control the unroll	ing and hygroscopic me	s vement of grass leaves	
component o	n philoem loading			
sciercius				5
Identify the CORRECT statements.				
(A) P, Q	(B) Q, S	(C) R, S	(D) P, S	
S. rRNAs in the	e plastid genome are arra	anged in one transcriptio	on unit	
Plastic				the
Q. The plastid	ribosomes are with sedir	mentation coefficient of	80S	
Which of the fo				
(A) Q, R	(B) P.O	(C) R S		
S. The origin o	of dicot from primitive m	nonocot was proposed b	y Arthur Cronquist in his book	
	rionoring riants			The
	and the second and the second and the			
	mor and mas published in	u Genera Plantarum		
	<ul> <li>P. The most probability of the phylog of the Nate of Nate Nate Nate Nate Nate Nate Nate Nate</li></ul>	<ul> <li>P. The most popular phylogenetic system Dalton Hooker and was published in Q. A true phylogenetic system of classifing framilies of Flowering Plants'</li> <li>R. The phylogenetic system of classifing Families of Flowering Plants'</li> <li>S. The origin of dicot from primitive no 'Systema Naturae'</li> <li>(A) Q, R         <ul> <li>(A) Q, R</li> <li>(B) P, Q</li> </ul> </li> <li>Which of the following statements are 'P. Plastid genome is circular in nature of Q. The plastid ribosomes are with seding R. The gene for the small subunit of rite plastid</li> <li>S. rRNAs in the plastid genome are array (A) P, Q         <ul> <li>(B) Q, S</li> </ul> </li> <li>Identify the CORRECT statements.</li> <li>P. Specialized parenchymatous cells with sclereids</li> <li>Q. The sieve elements of angiosperms and component of phloem loading</li> <li>R. The exudation of water by guttation of S. The bulliform cells control the unroll</li> <li>(A) P, Q         <ul> <li>(B) P, R</li> </ul> </li> <li>Which of the following statements are IP. Specialized parenchymatous cells with sclereids</li> <li>Q. The sieve elements of angiosperms and component of phloem loading</li> <li>R. The exudation of water by guttation of S. The bulliform cells control the unroll</li> <li>(A) P, Q         <ul> <li>(B) P, R</li> </ul> </li> </ul>	<ul> <li>P. The most popular phylogenetic systems of classification is in Dalton Hooker and was published in 'Genera Plantarum'</li> <li>Q. A true phylogenetic system of classification was proposed in 'Die Naturlichen Pflanzenfamilien'</li> <li>R. The phylogenetic system of classification proposed by John Families of Flowering Plants'</li> <li>S. The origin of dicot from primitive monocot was proposed by 'Systema Naturae'</li> <li>(A) Q, R (B) P, Q (C) R, S</li> <li>Which of the following statements are TRUE for the plastid genome is circular in nature with genome size of 1200 Q. The plastid ribosomes are with sedimentation coefficient of R. The gene for the small subunit of ribulose bisphospate carbor plastid</li> <li>S. rRNAs in the plastid genome are arranged in one transcriptic (A) P, Q (B) Q, S (C) R, S</li> <li>Identify the CORRECT statements.</li> <li>P. Specialized parenchymatous cells with tannins and crystals or sclereids</li> <li>Q. The sieve elements of angiosperms are surrounded by comparcomponent of phloem loading</li> <li>R. The exudation of water by guttation occurs through trichome S. The bulliform cells control the unrolling and hygroscopic models.</li> <li>(A) P, Q (B) P, R (C) Q, S</li> <li>(A) P, Q (B) P, R (C) Q, S</li> </ul>	<ul> <li>Q. A true phylogenetic system of classification was proposed by Adlof Engler and was public in 'Die Naturlichen Pflanzenfamilien'</li> <li>R. The phylogenetic system of classification proposed by John Hutchinson was appeared in 'Families of Flowering Plants'</li> <li>S. The origin of dicot from primitive monocot was proposed by Arthur Cronquist in his book 'Systema Naturae'</li> <li>(A) Q. R (B) P, Q (C) R. S (D) P, S</li> <li>Which of the following statements are <b>TRUE</b> for the plastid genomes?</li> <li>P. Plastid genome is circular in nature with genome size of 120-160 kb Q. The plastid ribosomes are with sedimentation coefficient of 805</li> <li>R. The gene for the small subunit of ribulose bisphospate carboxylase (RubisCO) is located in plastid</li> <li>S. rRNAs in the plastid genome are arranged in one transcription unit</li> <li>(A) P, Q (B) Q, S (C) R, S (D) P, S</li> <li>Identify the CORRECT statements.</li> <li>P. Specialized parenchymatous cells with tannins and crystals of calcium oxalate are termed as sclereids</li> <li>Q. The sieve elements of angiosperms are surrounded by companion cells and are essential component of phloem loading</li> <li>R. The exudation of water by guttation occurs through trichomes</li> <li>S. The bulliform cells control the unrolling and hygroscopic movement of grass leaves</li> <li>(A) P, Q (B) P, R (C) Q, S (D) P, S</li> <li>Which of the following statements are INCORRECT on ecological point of view?</li> <li>P. Primary succession involving xerosere is initiated in a wet habitat</li> <li>Q. Halones commonly found in electronic equipment are one of the active force destroying the protective ozone layer in the stratosphere</li> <li>R. Sympatric speciation occurs when the new species evolves in geographic isolation from the parent species</li> <li>S. a-Diversity is the diversity of species within a habitat or community</li> </ul>

14/28

#### **K : MICROBIOLOGY**

#### Q. 1 - Q. 10 carry one mark each.

Q.1 Quinolones inhibit bacterial growth by targeting

(A) DNA replication	(B) mRNA translation
(C) RNA polymerase	(D) active transport of nutrients into the cell

- Q.2 To select for spontaneously arising histidine auxotrophs in a population, you would use a medium containing
  - (A) Histidine and penicillin

- (B) Penicillin but no histidine
- (C) Histidine and lysozyme (D) Lysozyme but no histidine

Q.3 Which one of the following statements is NOT associated with contributions of Louis Pasteur?

- (A) Anthrax is caused by anthrax bacillus
- (B) Bacteria causing food spoilage come from air
- (C) The disease causing organism must be isolated in pure culture
- (D) Bacteria cause the wine disease
- Q.4 The active transport of solute in the cell is characterized by
  - (A) its uptake along the concentration gradient utilizing energy
  - (B) requirement of a carrier to support transport along the concentration gradient
  - (C) chemical modification of the solute during its uptake
  - (D) its uptake against the concentration gradient
- Q.5 Catabolite repression allows cells to save energy by
  - (A) inactivating catabolic enzymes
  - (B) inhibiting synthesis of total RNA
  - (C) regulating expression of genes required for utilization of less-efficient metabolites
  - (D) inhibiting translation of mRNAs encoding catabolic enzymes
- Q.6 A newly emerged variant of Influenza virus can be selectively propagated from the mixed population by addition of

(A) Gangcyclovir	(B) Tamiflu
(C) Interferon gamma	(D) Neutralizing antibody

Q.7 The synthesis of an immunoglobulin in either a secretory or membrane bound form is governed by

(A) allelic exclusion	(B) class switching
(C) differential RNA processing	(D) affinity maturation

#### Q.8 The *cis-trans* test can determine whether a gene codes for

- (A) an activator or a repressor
- (B) an RNA or a protein
- (C) a protein with the same or different amino acids
- (D) a diffusible or non-diffusible product

2011				XL	
Q.9	Which of the followi naturally depleted for	ng are expected to be the oxygen?	e abundant inhabitants o	f a nitrate and sulfate rich soil	
	(A) <i>Pseudomonas</i> and (C) <i>Azotobacter</i> and (			nonas and Desulfovibrio nonas and Nitrobacter	
Q.10	Which one of the for microscope (with 100	llowing immersion oils X objective)?	would you use to get	the best resolution in a light	
	<ul><li>(A) an oil with refract</li><li>(C) an oil with refract</li></ul>			ith refractive index of 1.5 ith refractive index of 1.3	
Q. 11	- Q. 20 carry two r	narks each.			
Q.11	Four Hfr strains of <i>E</i> . in the following order		m the same $F^{*}$ strain. The strain is the same $F^{*}$	ne Hfr strains donated markers	
	Strain1: DQWMT; S	Strain 2: AXPTM; Strair	1 3: BNCAX; Strain 4: H	BDQWM	
	The order of the mark	ters in the original F <sup>+</sup> str	ain is		
	(A) DQWMTPXACN	IB	(B) AXPTM	DOWBNC	
	(C) BNCAXPTMDQ	W	(D) BDQWN	•	
Q.12	2 Which one of the following forms of the same DNA molecule would bind maximum ethidius bromide?				
	<ul><li>(A) Negatively superc</li><li>(C) Linear</li></ul>	coiled		tly closed relaxed circle ly supercoiled	
Q.13		culture of <i>E. coli</i> divide entire genome of this ba		er laboratory conditions, time	
	(A) 20 min	(B) 40 min	(C) 10 min	(D) 18 min	
Q.14	Which of the stateme	nts about Corynebacteri	<i>um diphtheriae</i> biology	is NOT CORRECT?	
	<ul> <li>(A) All strains of <i>C. diphtheriae</i> are producers of diphtheria toxin</li> <li>(B) Diphtheria toxin production can be minimized by high concentration of iron in the medium</li> <li>(C) Diphtheria toxin inhibits protein synthesis</li> <li>(D) Diphtheria toxin is an A-B toxin secreted as a polypeptide of 62 kDa</li> </ul>				
Q.15	Match the names of in	vestigators in Group 1	with their contributions	in Group 2	
	Group 1		Grou	p 2	
	<ul> <li>P. Joseph Lister</li> <li>Q. John Needham</li> <li>R. Elie Metchnikoff</li> <li>S. Lazaro Spallanzani</li> </ul>		2. Disp 3. Prov 4. Use	of phagocytosis in infection proved spontaneous generation yed Spontaneous generation of agar as solidifying agent of carbolic acid as disinfectant	
	(A) P-5,Q-3,R-4,S-1	(B) P-5,Q-3,R-1,S-2	(C) P-4,Q-3,R-1,S-5	(D) P-3,Q-2,R-1,S-4	

16/28

- XL 201 F During replication of the E. coli chromosome, Okazaki fragments are produced from Q.16 (A) only one of the strands of the circular genome (B) both the strands of the circular genome (C) one of the strands in one generation and the other strand in the next generation (D) both the strands of the circular genome provided that the heavy nitrogen (<sup>15</sup>N) is present in the medium A new isolate of a facultative anaerobe utilizes either oxygen or pyruvate as terminal electron 0.17 acceptor. This bacterium was grown either anaerobically with glucose as sole carbon source; or aerobically with lactose as the sole carbon source. Net increase in ATP production (per mole of the carbon source) during the aerobic growth would be (D) 38-fold (C) 19-fold (B) 4-fold (A) 2-fold Based on their properties, match the "Genera" in Group 1 with those in Group 2 Q.18 Group 2 Group 1 1. Sarcina P. Bacillus 2. Azotobacter O. Neisseria 3. Hyphomicrobium R. Rhizobium 4. Clostridium S. Caulobacter (B) P-4, O-1, R-3, S-2 (A) P-4, Q-1, R-2, S-3 (D) P-1, Q-4, R-2, S-3 (C) P-2, Q-4, R-1, S-3 An actively growing culture (20 ml) of E. coli ( $1 \times 10^5$  per ml) was mixed with a total of 100 T4 0.19
  - Q.19 An actively growing culture (20 ml) of *E. coli* ( $1 \times 10^{9}$  per ml) was mixed with a total of 100 14 phage particles, grown further for 40 min and mixed with a few drops of chloroform. Under the conditions used, the generation time of *E. coli* is 30 min, the infection cycle of phage T4 is 20 min, and the burst size is 100. Assuming that each infection was a successful one, how many plaque forming units would you expect at the end of the experiment?

Group 2

- (A)  $10^4$  (B)  $10^3$  (C)  $10^5$  (D)  $10^6$
- Q. 20 Match the pair of organisms in Group 1 with their characteristic interactions in Group 2
  - Group 1
  - P. Photoblepharon palpebratus and Vibrio fischeri1. MutualismQ. Pseudomonas and Bdellovibrio2. SymbiosisR. Aspergillus and Pseudomonas3. AntagonismS. Thiobacillus ferrooxidans and Beijerinckia lacticogenes4. Parasitism
  - (A) P-2,Q-4,R-3,S-1 (C) P-4,Q-2,R-3,S-1 (D) P-2,Q-4,R-1,S-3

#### **END OF SECTION - K**

2011				XI		
		L:Z	oology			
<b>Q.</b> 1	l – Q. 10 carry one	e mark each.				
Q.1	Which one of the follo	owing is an example of	eumetazoans?			
	(A) Dictyostelium	(B) Hydra	(C) Sponges	(D) Volvox		
Q.2	Which one of the follo	wing is characteristic o	of deuterostomes?			
	(A) Radially symmetri (B) Bilaterally symme	c body tric body efined digestive system				
Q.3	Extraembryonic tissue	s are derived from whic	ch one of the following?			
	(A) Ectoderm	(B) Endoderm	(C) Trophoectoderm	(D) Mesoderm		
Q.4	Which one of the follo	wing type of immune c	ells is responsible for gra	aft rejection?		
	(A) B cells	(B) T cells	(C) Macrophages	(D) Eosinophils		
Q.5	Which of the following	Which of the following is a main symptom of infection by Wuchereria bancrofti?				
	(A) Swelling of limbs	(B) Skin rashes	(C) Blindness	(D) Brain cyst		
Q.6	In insect's tracheal sys	tem, the transport of ox	tygen to the target tissue	is done by		
	(B) a liquid that fills th	cells that produce myc	-			
Q.7	Which one of the fol DOES NOT minimize	lowing examples repre the loss of body tempe	esents an adaptation or arture of animals?	a physiological activity that		
	(A) Feathers or fur (C) Shivering		<ul><li>(B) Fat layers in the ac</li><li>(D) Vasodilation</li></ul>	lipose tissue		
Q.8	Which one of the follo	wing hormones is INC	ORRECTLY paired wit	h its function?		
	(A) Melatonin – biolog (C) Prolactin – stimula	-	<ul><li>(B) Glucagon – increases blood glucose levels</li><li>(D) Calcitonin – increases blood calcium level</li></ul>			
Q.9	The term innate behave	<i>ior</i> refers to an animal h	pehavior			
	<ul> <li>(A) that is triggered by</li> <li>(B) that is taught by the</li> <li>(C) that is development</li> <li>(D) that an organism le</li> </ul>	e parent tally fixed	-			
Q.10	Which of the following	is <b>TRUE</b> about Kreb's	s cycle?			
	(A) Kreb's cycle generation	ates NADPH eb's cycle reside in the	inter-membrane space o	f a mitochondria		

# Q. 11 - Q. 20 carry two marks each.

Q.11	A genetic experiment was performed to map the gene(s) for eye colour in a newly-discovered moth species. Sex determination in this moth species: $XY$ – male and $XX$ – female. When blue-eyed males were mated to green-eyed females, all of both male and female progeny had green eyes. When these progeny were mated among themselves, about half of the males of the resulting second generation had blue eyes; however, all females were green-eyed. Which one of the following is consistent with the above data?		
	<ul> <li>(A) Multiple genes control eye colour in this model.</li> <li>(B) Gene(s) for eye colour is located on the X control (C) Gene(s) for eye colour is located on the Y control (D) Gene(s) for eye colour may not be sex-linked.</li> </ul>	hromosome hromosome	
<b>Q</b> .12	2.12 In a newly discovered organism, normal development was unaffected when a few blastomerer removed from 100-cell stage embryo. However, removal of five cells at the 1000-cell abolished the formation of kidney. Which one of the following options most accurately de the type(s) of specification operating in the development of this organism?		
	<ul><li>(A) Conditional specification only</li><li>(C) Conditional and autonomous specifications</li></ul>	<ul><li>(B) Autonomous specification only</li><li>(D) Specification does not occur in this organism</li></ul>	
Q.13	In which one of the following organisms, it is pairs of DNA through genetic recombination ex	s easiest to distinguish mutations on adjacent base periments?	
	(A) Bacteriophages (B) Yeast	(C) Escherichia coli (D) Bacillus subtilis	
<b>Q</b> .14	RNA is considered as the first genetic materia	al to have evolved on the earth. Which one of the unctioning as the genetic material in the absence of	
	<ul> <li>(A) The presence of uracil as a base in place of</li> <li>(B) The RNA is less stable than DNA; therefore material as compared to DNA</li> <li>(C) The single stranded RNA has a genotype as</li> <li>(D) RNA exists in 3 forms while DNA has only</li> </ul>	re RNA has higher probability to evolve as genetic well as phenotype	
Q.15	the fertilization of egg. Some of the form	ations that may either arrest the ovulation or prevent sulations do both. Which one of the following is likely to affect the process of ovulation and	
	<ul><li>(A) Progesterone and estrogen</li><li>(C) Gonadotrophin and estradiol</li></ul>	<ul><li>(B) Prostaglandin and estrogen</li><li>(D) Prolactin and estradiol</li></ul>	
Q.16	reproduction and male parental care (protecting fishes and amphibians for example, the species	that there is relationship between mechanism of g eggs or the young ones). In aquatic invertebrates, that practice internal fertilization rarely show male practice external fertilization tend to exhibit male	
	predators (B) the male sex in species that practice interna (C) the fact that the females of species that pra	ernal fertilization are unable to defend against the I fertilization live on female as parasite actice external fertilization die soon after laying the	
	eggs (D) the certainty of paternity in species that reinforced over generation by natural select	practice external fertilization and this behavior is ion	

XL

- Q.17 The term *biological magnification* refers to the increased levels of a toxin seen in successive trophic levels in a food web. Which one of the following options correctly states the reason(s) for the increment of a toxin in the ecosystem?
  - (A) The toxin is highly toxic to primary producers, relatively less toxic to primary consumers, and non-toxic to secondary consumers. Thus, a higher level of toxin is seen in species representing higher trophic levels
  - (B) The toxin cannot be degraded by microorganism and consequently persist in the environment for years
  - (C) The toxin to begin with was not toxic or less toxic, but became more toxic by metabolism in the primary producers
  - (D) Both (B) and (C)
- Q.18 From the point of view of the enzymatic reactions, which of the following **DOES NOT** belong here?

(A) Telomerase (B) Reverse transcriptase (C) Taq polymerase (D) Primase

- Q.19 Which of the following statements is/are TRUE about JUXTACRINE signaling?
  - I. The ligand and the receptor engage in reciprocal signaling
  - II. Both the ligand and the receptor are membrane associated proteins
  - III. The ligand gets proteolytically cleaved after binding to the receptor

(A) I only (B) II only (C) III only (D) I, II	i and III
---	-----------

- Q.20 Which of the following amino acid change (mutation) would **MOST** adversely affect the structure of an  $\alpha$ -helix?
  - (A) A valine residue changed to an isoleucine residue
  - (B) A methionine residue changed to a proline residue
  - (C) An aspartic acid residue changed to a glutamic acid residue
  - (D) A histidine residue changed to an arganine residue

#### END OF SECTION - L

## **M : FOOD TECHNOLOGY**

Q. 1	– Q. 10 carry or	e mark each.				
Q.1	The protein response	The protein responsible for spongy structure in bread is				
-	(A) Albumin	(B) Zein	(C) Gluten	(D) Gliadin		
Q.2	The factor most res	ponsible for making a g	ood ice cream is			
	<ul><li>(A) Water content</li><li>(C) Emulsifying ag</li></ul>		(B) Homogenizat (D) Mixing index			
Q.3	Listed below are some of the functions of fats in the human nutrition. Identify the INCORRECT function					
		<ul><li>(A) Concentrated source of energy</li><li>(C) Absorption of fat soluble vitamins</li></ul>		<ul><li>(B) Transport of oxygen to various organs</li><li>(D) Synthesis of cell membrane and hormones</li></ul>		
Q.4	During ripening of	cheese by Penicillium r	oqueforti the character	ristic aroma is because of		
	(A) Methyl ketone: (C) Diacetyl	S	(B) Aceto acetic (D) Acetoin	acid		
Q.5	Which of the follo	wing statements is NOT	<b>TRUE</b> in case of oxid	lative rancidity of fatty foods?		
Q.6	<ul> <li>(A) Peroxides and hydroperoxides are formed during auto-oxidation</li> <li>(B) Auto-oxidation is a complex chain reaction</li> <li>(C) The final breakdown products of auto-oxidation are aldehydes, ketones and alcohols</li> <li>(D) The reaction is brought about by an enzyme, called lipase</li> <li>(A) Which of the following group of characteristics is CORRECT in respect of Shigella species as food pathogen?</li> </ul>					
Q.7	<ul> <li>(A) Gram positive, motile by gliding, spore forming cocci and transmitted by contaminated food</li> <li>(B) Gram negative, motile by flagella, spore forming bacilli and transmitted by contaminated wat</li> <li>(C) Gram positive, non-motile, non-spore forming cocci and transmitted by contaminated air a water both</li> <li>(D) Gram negative, non-motile, non-spore forming and transmitted by fecal-oral route</li> </ul>					
Q.8	(A) $P - 1$ , $Q - 2$ , $H$ (B) $P - 4$ , $Q - 3$ , $H$ (C) $P - 2$ , $Q - 1$ , $H$ (D) $P - 3$ , $Q - 4$ , $H$ Which of the following (A) Psychrophiles	R = 2, S = 1 R = 4, S = 3 R = 1, S = 2	ophiles	roorganisms is CORRECT?		

- (C) Thermophiles > Psychrophiles > Mesophiles
   (D) Mesophiles < Thermophiles < Psychrophiles</li>

2011	· ·					
Q.9	Q.9 The solubility of sodium bicarbonate in water is 9.6 g/100 g at 20 °C and 16.4 g/100 g at saturated solution of sodium bicarbonate at 60 °C is cooled to 20 °C, the percentage of the salt crystallized out will be					
	(A) 20.5	(B) 25.4	(C) 41.5	(D) 45.2		
Q.10	Which one of the fo	llowing statements is		of nutritive evaluation of proteins?		
	<ul> <li>(A) PER is defined a</li> <li>(B) 'Metabolic nitron fed to an animal</li> <li>(C) Net protein utili</li> <li>(D) 'Chemical score the mixture</li> </ul>	as the live weight gain ogen' is the amount of zation is a product of c' of a mixed protein of	n per unit weight of pro f nitrogen present in th biological value and di	otein intake e feces when a nitrogen free diet is		
<b>Q.</b> 11	- Q. 20 carry two	marks each.				
Q.11	A sugar syrup (density = $1040 \text{ kg/m}^3$ and viscosity = $1600 \times 10^{-6} \text{ Pa.s}$ ) is required to be pumped into a tank (1.5 m diameter and 3 m height) by a 3 cm inside diameter pipe. If the liquid is required to flow under laminar conditions the minimum time to fill the tank with the syrup will be					
	(A) 192.9 h	( <b>B</b> ) 19.3 h	(C) 38.6 h	(D) 57.9 h		
Q.12	Match the following sauerkraut defects for their causative agents					
	P. Soft kraut	I. Due to grow	I. Due to growth of bacteria, mold and/or yeast			
	Q. Slimy kraut	2. Due to surfa	2. Due to surface growth of Torula yeast			
	R. Rotted kraut	3. Bacterial gro	3. Bacterial growth does not initiate till last stage			
	S. Pink kraut 4. Rapid growth of <i>Lactobacillus cucumens</i> and <i>L. plantarum</i> specially at elevated temperature					
	(A) P – 4, Q – 2, R – (C) P – 1, Q – 3, R –		(B) P – 3, Q – 4 (D) P – 2, Q – 1			
Q.13	Match the following	carbohydrates with th	eir use in the food pro	cessing		
	P. High amylose star	ch	1. White sauce	s in cook freeze operations		
	Q. Pectin		2. Edible film f	or wrapping candies		
	R. Starch phosphates		3. As humectar	3. As humectant in confectionary		
	S. Glucose		4. Setting agent	t in jams and jellies		
	(A) P - 1, Q - 2, R - 4, S - 3 (C) P - 3, Q - 1, R - 2, S - 4			(B) P – 2, Q – 4, R – 1, S – 3 (D) P – 4, Q – 3, R – 1, S – 2		
Q.14	Match the food items and their principal flavouring agents given in the two columns below					
	P. Butter	1. Menthol				
	Q. Orange	2. Limonene				
	R. Cloves	3. Eugenol				
	S. Mint	4. Diacetal				
	(A) P - 3, Q - 2, R - 4, S - 1 (C) P - 4, Q - 1, R - 3, S - 2			2, Q - 3, R - 1, S - 4 4, Q - 2, R - 3, S - 1		

22/28

Q.15 Match the food items on left hand side with their colloidal nature on right hand side

<b>.</b>					
	P. Curd	1. Foam			
	Q. Butter	2. Emulsion			
	R. Vegetable soup	3. Sol			
	S. Whipped egg white	4. Gel			
	(A) $P - 2$ , $Q - 1$ , $R - 3$ , $S$ (C) $P - 4$ , $Q - 2$ , $R - 3$ , $S$			- 3, R - 2, S - 1 - 4, R - 1, S - 2	
Q.16	In an actively growing (exponential phase) yeast culture, the cell concentration increased $10^3$ cells per ml to $10^7$ cells per ml in 4 h. The doubling time of the yeast is				rom
	(A) 120 minutes	(B) 30 minutes	(C) 18 minutes	(D) 60 minutes	
Q.17	The steps followed in G P. Washing with neutral Q. Counter staining with R. Staining with basic d S. Fixing the colour wit	l organic solvent h a contrast dye ye	oorganisms are		
	Identify the CORRECT	ſ sequence.			
	$  (A) Q \to S \to R \to P  (C) Q \to P \to S \to R $		(B) $P \rightarrow Q$ (D) $R \rightarrow S$		
Q.18	A continuous dryer wa	s used to dry 12 kg/m	in of a blanched vege	able containing 50% mois	sture

Q.18 A continuous dryer was used to dry 12 kg/min of a blanched vegetable containing 50% moisture (wet weight basis) to give a product containing 10% moisture. As the dryer could handle feed material with moisture content not more than 25%, a part of dried material was recycled and mixed with the fresh feed. The evaporation rate in the dryer will be

(A) 2.08 kg/min	(B) 5.33 kg/min	(C) 3.33 kg/min	(D) 2.93 kg/min
-----------------	-----------------	-----------------	-----------------

Q.19 An enzyme has a  $K_m$  of  $4.7 \times 10^{-5}$  M and  $V_m$  is 22 micro moles per litre per min. The enzyme reaction is carried out at a substrate concentration of  $2 \times 10^{-4}$  M. The initial reaction velocity for this enzyme catalyzed reaction will be

(A) 6.5 micro moles per litre per min	(B) 17.8 micro moles per litre per min
(C) 13.0 micro moles per litre per min	(D) 8.9 micro moles per litre per min

Q.20 The F - value at 121.1 °C, equivalent to 99.9999 percent destruction of a strain of *Clostridium* botulinum, is 1.8 min. The D<sub>o</sub> value (decimal reduction time at reference temperature) of the organism will be

(A) 10.8 min	(B) 0.3 min	(C) 6.0 min	(D) 0.2 min
--------------	-------------	-------------	-------------

#### END OF THE QUESTION PAPER

Please visit: www.easybiologyclass.com for:

- Lecture Notes
- Biology PPTs
- Biology MCQs
- > Online Mock Tests (MCQ)
- Practical Aids
- Model Question Papers of NET, GATE, DBT, ICMR Exams
- CSIR NET Life Sciences Previous Year Question Papers
- GATE Previous Year Question Papers
- DBT BET JRF Previous Year Question Papers
- ICMR JRF Entrance Exam Resources
- Higher Scondary Biology Resources
- Jobs Notifications
- Higher Studies in Biology / Life Sciences
- Seminar / Workshop/ Conference Notifications
- > And many more....



